

APPENDIX A
Clear Wood Finishes

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
Deft, Defthane Polyurethane Varnish	I/E		350	44	500-600 @ 3 mil	Furniture, floors, doors, cabinets	1 hr touch 8-10 hrs recoat	24.94
McCloskey, Man O' War Marine Spar Varnish 6501	E	X	350	56	450-550 @ 3 mils	Wood doors, trim, window sills, outdoor furniture, railings, wooden boats	8-10 hrs touch, 24 hrs recoat	41.95
Griggs Paint, TT-V-119D Spar Varnish	E		334	N/A	N/A	Wood surfaces	8 hours	67.7
Spectra Tone (Yukon Finishes), Wood Shield Film Forming Gloss Finish #2650	E	X	313	61	200-250	Cedar, redwood, log & timber homes, wood sidings, fences	6 hrs touch, 24 hrs recoat	22.95
J.E. Mosers, Waterborne Urethane Finish	I/E		296	N/A	300-500	Floors, bar tops, doors, windows	N/A	59.99
BEHR, Crystal Clear Hi-Gloss W/B Polyurethane 630	I/E		283	N/A	400	Floors, table tops, cabinets, furniture, doors	1 hr touch 3-4 hrs recoat	18
Diamond Vogel Paints, H2O Acrylic Polyurethane Varnish	I		280	29	232-464	Wood floors, cabinets, doors, furniture	15 min. touch, 1-2 hrs recoat	31.08
Vista Paint, 108 Acrithane High Gloss	I		267	29	400-500	Woodwork, cabinets, furniture, paneling	30 min touch 2 hrs recoat	27.08
Vista Paint, 109 Acrithane Semi Gloss	I		266	28	400-500	Woodwork, cabinets, furniture, paneling	30 min touch 2 hrs recoat	27.08
Diamond Vogel Paints, Old Masters H2O Acrylic Varnish	I		252	31	248-489	Bare and previously finished wood surfaces	10 min touch 1 hr recoat	24.45
BonaKemi, Tech Mega Floor Finish	I		250	33	500-600	Interior residential & commercial floors	2-3 hours	90
BEHR, Deck Plus Wood-Toned Waterproofing Wood Finish 400	E		247	N/A	250-300	Unsealed wood, decks, siding, fences, furniture	24 hours	16.97
Benjamin Moore, Epoxy Coating Clear M43-00/M44, 2 component	I/E	X	239	32	340	Concrete, plaster, floors, rest rooms, wood, drywall, stairs	1 hr touch 12 hrs recoat	
Van Technologies, Inc. VanAqua-285 Water Based Wood Topcoat	I		228	N/A	N/A	N/A	15-30 in	
Columbia, Clear Acrylic Urethane Gloss 10-670	I		224	32	320-400	Cabinets, paneling, molding, furniture	30-60 min.	20
Columbia, Clear Acrylic Urethane Flat 10-678	I		212	32	360	Cabinets, paneling, molding, furniture	30-60 min.	20
Manufacturing & Consulting Chemists, Inc., WCX High Solid Clear Gloss Topcoat, WCX1080-HS	I		210	33	300	Interior wood surfaces	30 min touch, 1 hr recoat	
J.E. Mosers, Woodworkers Supply Premium Spray Lacquer	I		200	N/A	N/A	Wood surfaces	N/A	44.99

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
ICI Paints (ICI Dulux), Woodpride Waterborne Aquacrylic Gloss Varnish	I		191	27	400-500	Cabinets, doors, paneling, furniture, floors	1 hr touch 3-4 recoat	21.7
Van Technologies, Inc. VanAqua-485 Water Based Topcoat	I		190	N/A	N/A	Kitchen cabinets, floors	15-30 min touch 30 min-1hr sand	
Farwest, X-6697 Semi-Gloss Aquathane Waterborne Floor Finish	I		186	28	250-350	Hardwood floors, kitchen cabinets, coffee tables, wood furniture, table tops, clear wood trim	30-45 min touch 3 hrs recoat	35.7
Sherwin Williams, Cuprinol, Deck & Siding Wood Finish	E		164	18	150-300	Decks, doors, siding, wood fences, shutters, wood shingles, wood shakes, outdoor wood furniture	2 hours	24.99
FUHR, Multi-Purpose Ultra Clear Urethane 275	I		160	29	N/A	Tile, concrete, hardwood floorings	10 min touch 30 min sand	41.19
Manufacturing & Consulting Chemists, Inc., WCX Clear Topcoat WCX 1020-1080	I		160	29	300	Wood Cabinets, trim, furniture	30 min touch 1 hr recoat	
Rockler, Sam Maloof Poly/Oil Satin 58636/58644	I		156	N/A	N/A	All woodworking surfaces	24 hours	43.96
JFB Hart Coatings, Inc HP-146	I/E		100	33	240-480	Steel, aluminum, galvanized metal, concrete/block, masonry, wood	2 hours	65
FUHR, Waterborne Acrylic Varnish 355	I		73	30	N/A	Kitchen cabinets, furniture, molding, passage doors, millwork, wine racks	5 min touch 20 min sand	27.45
FUHR, Ultra Clear Acrylic Urethane 285	I		53	31	N/A	Hardwood floors, wood furniture, passage doors, windows, cabinetry	10 min touch 30 min sand	41.19
EPMAR, Kemiko Clear Acrylic Urethane	E		50	30	300-400	Wood trim, furniture, cement floors, facades, storage tank exteriors, bridges	30 min touch 1 hr recoat	26.5
FUHR, Water Clear Acrylic Varnish 375	I		50	28	N/A	Kitchen cabinets, furniture, molding, passage doors, millwork, wine racks	10 min touch 20 min sand	31.19
FUHR, IBR Acrylic Topcoats 9200 Series	I		18	47	N/A	Cabinets, doors, shutter parts, trim,	20 minutes	27.45
FUHR, Universal Acrylic Topcoat 9100 Series	I		18	44	N/A	Shutters, trim, doors, molding, cabinetry	30 minutes	31.19

APPENDIX A
Clear Wood Finishes

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
FUHR, ZVOC High Solids Clear Coat 5000	I/E		0	38	N/A	Furniture molding, passage doors, millwork, wine racks	5 min touch 20 min sand	31.19
FUHR, ZVOC Medium Solids Clear Coat 5100	I/E		0	29	N/A	Furniture molding, passage doors, millwork, wine racks	5 min touch 20 min sand	31.19
FUHR, ZVOC Low Solids Clear Coat 5200	I/E		0	20	N/A	Furniture molding, passage doors, millwork, wine racks	5 min touch 20 min sand	29.95
JFB Hart Coatings, Inc HP-105 Clear, 2 component	I/E		0	53	350-450	Steel, aluminum, galvanized metal, concrete/block, masonry, wood	4 hrs touch 6-8 hrs recoat	80
Rockler, Sam Maloof Oil/Wax Finish 58699/58677	I		0	N/A	N/A	All woodworking surfaces	24 hours	42.36
Silvertown Products, Rhinoguard Wood Defense	E		0	N/A	550	Wood decks, house siding, fences	72 hours	29.95
Tried & True Wood Finishes Danish Oil, Original Wood Finish, Varnish Oil	I		0	N/A	N/A	Kitchen counters, table tops	N/A	74.95

N/A= Not Available

Clear Wood Finishes (Sanding Sealers)

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying Time	Cost per Gallon (dollars)
Glitsa American, Inc., Snap Dry Quick Dry Waterbase Sealer	I		261	31	400-500	Bare wood	1.5 - 2.5 hours	
Vista Paint, 107 Acrithane Sanding Sealer	I		242	28	400-700	Woodwork, cabinets, furniture, paneling	1 hr touch 2 hr recoat	27.08
Vista Paint, TC10 W/B Sanding Sealer	I		240	30	850-950	Woodwork, cabinets, furniture, paneling	1 hr touch 2 hrs recoat	
Rainguard, American 700 Clear Masonry Deck Sealer	N/A		236	N/A	100	Decks, resurfaced concrete, cementitious surfaces, other non-resilient substrates	2 hours	
Manufacturing & Consulting Chemists, Inc., WC Sanding Sealer WC-2044	I		235	28	300-400	Interior wood cabinets, trims	0.5 hr touch 1 hr recoat	
Manufacturing & Consulting Chemists, Inc., WCX Sanding Sealer WC-2022	I		233	29	300-400	Interior wood cabinets, trims	0.5 hr touch 1 hr recoat	
Insl-x, Envirocare Sanding Sealer	I		220	35	282	Wood floors, trim, cabinets, stairs, banisters	0.5 hrs touch 3 hours recoat	
Diamond Vogel Paints, Old Masters H2O Acrylic Sanding Sealer	I		181	30	240-481	Interior Wood Surfaces	10 min touch 30 min. recoat	17.65
FUHR, Water Clear Sanding Sealer 365	E		50	28	N/A	Various wood surfaces	15 minutes	32.45
FUHR, Universal Sanding Sealer 655	E		30	30	N/A	Various wood surfaces	15 minutes	23.69
All Pro, Acrylic Urethane Waterborne Satin Sanding Sealer	I		1	29	300-450	Doors, trim, cabinets, furniture	0.5 hr touch 2-4 hrs recoat	
FUHR, ZVOC Sanding Sealer 5300	E		0	19	N/A	Various wood surfaces	15 minutes	28.69
FUHR, ZVOC High Viscosity Sanding Sealer 5350	E		0	20	N/A	Various wood surfaces	15 minutes	31.19

N/A= Not Available

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
Andek, Silver Film		250	N/A	360@3	May be installed over flat roof system, good adhesion to most metals including rusted or corroded, asphaltic or coal tar pitch roofs.	12 to 24 hours	38
Henry, #201 Fibered Asphalt Roof Coating		250	N/A	50	Smooth-surface, granulated cap sheets, build-up-roof systems, SBS modified or composition roofs, metal roofs for rust prevention.	N/A	
Tropical Asphalt Products Corp, #202 Fibered Roof Coating Asbestos Free		250	N/A	33-50	Felt, mineral cap sheets, existing composite shingle roofs	48 hours	
Andek, Polaroof R.A.C.		200	N/A	40 @30	All kinds of roofing, Aluminum, tin, corrugated steel, concrete, urethane foam, EPDM and other rubber roofs	24 hours to walk on	30
Henry, #827 Rubberkote Topcoat		200	53	100 @22	EPDM roofs, suited for application over Hypalon® membranes.	2 hours to touch	99.5
Henry, #826 Rubberkote Base Coat		200	45	100 @ 22	EPDM roofs	24 hours to recoat	99.5
Henry, #275 White, #276 Gray, MetalShield WB Elastomeric Roof Coatings		200	45	67 - 100	Metal roofs	2 hrs touch 24 hrs recoat	107.25
Henry, #299 Premium White Elastomeric Roof Coating		200	62	80 @ 18	Previously coated white or aluminum roof surfaces, mineral surface cap sheet, smooth surace BUR, SBS, AND APP roofs.	Dry between coats same day application	13.4 (67 per 5 gal)
Andek, Polaroof RAC-OZ, 2 component		160	N/A	50@30	Designed where strength, chemical and oil resistance, and a totally waterproof surface are required.	N/A	60
Benjamin Moore, Moorcraft Roof Spec Latex Semi-Gloss Finish 141		150	27	200-300	For new or previously painted roofs of asphalt, concrete, slate, cement and clay tile, previously painted metal roofs	1 hr touch 6-8 hours recoat	
Life Paint Company, 88-20 Elastomeric Roof Coating		133	N/A	50 @ 14	Composition roofs, rolled roofing, asphalt shingles, foam roofs, metal roofs, mobile homes	8 hrs cure 24 hrs recoat	

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
CIM, CIM 800, 2 component		111	86	N/A	For roofing, concrete, steel, glass, wood, previous coatings and linings	1 hour	
Western Colloid, Aluminum Reflective Roof Coating "Silverwhite" #525		109	40	67	For metal, smooth BUR, mineral surface, emulsion, and Glas Shield roof systems	1 hour	
Life Paint Company, 8875 Elastomeric Waterproofing Underseal		101	42-45	50 @ 14	Composition roofs, asphalt shingles, metal, concrete, flat roofs, rolled roofs, poly foam roofs, mobile homes, plywood roofs & decks, flower pots, masonry block walls	N/A	
Benjamin Moore, Moorcraft Roof Spec Latex Flat Finish 140		100	40	200-300	For new or previously painted roofs of asphalt, concrete, slate, cement and clay tile, previously painted metal roofs	1hr touch 6-8 hrs recoat	
Henry, #280 White Elastomeric Roof Coating		100	53	50 @ 18	Most roof surfaces, stucco & masonry parapet walls.	2 coats same day application	85
Henry, #281, #282, #284 and Custom Elastomeric Roof Coating		100	53	50 @ 18	Most roof surfaces, stucco & masonry parapet walls.	2 coats same day application	13.4 (67 for 5 gal)
Henry, #287 Solar Flex White Roof Coating		100	42	100	Most roof surfaces, stucco & masonry parapet walls.	2 hours to touch	13.4 (67 for 5 gal)
Tropical Asphalt Products Corp, #113 Hydro Aluminum		100	N/A	35-100	Metal, smooth BUR, mineral surface, emulsion, composition shingle, and modified roof systems	N/A	44.25
Tropic Asphalt Product Corp, #901 Standard White Elastomeric Roof Coating		100	44	100	All types of roofs	4 hrs recoat 24-48 hrs cure	
Tropical Asphalt Product Corp, #911 Eternalastic White Elastomeric Roof Coating		100	59	100	All types of roofs	4 hrs recoat 24-48 hrs cure	
Tropical Asphalt Product Corp, #921 Reflex While Elastomeric Roof Coating		100	44	100	All types of roofs	4 hrs recoat 24-48 hrs cure	

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
Insl-x, Rust Arrestor, RA-0104,		90	26	208@2	For rusted metal where sandblasting is not acceptable	2 hours to touch, 4 hours to recoat	
Dunn Edwards, Stay Kool Roof Coating W 2456		85	36	50-75@17 wet	For asphalt and polyurethane foam roofing primed wood, masonry and metal	1 hr touch 24 hrs recoat	26.54
ICI Paints (Sinclair), Rooflex Top Coat SA10XX		81	50	60	For built-up roof, gravel roof, galvanized steel, concrete, urethane foam roofing, wood and composition shingles	2 hours to touch, 8 hours to recoat	
ICI Paints (Devroe), Devflex 4020PF Direct to Metal Primer & Flat Finish, 4020- 1000 white, 7100 red		80	44	275-350	For metal buildings, galvanized steel, aluminum	30 min. to touch, 2 hours to recoat	24.5
Farwest, #5500 Wonderflex Elastomeric Acrylic Coating		75	49-51	65-70	For wood, concrete or metal surfaces and roof surfaces such as asbestos asphalt tile, hot-mopped tar, elastomeric aluminum, galvanized metal roofs, and fiberglass and wood shingles	1 hr touch 18 hrs recoat	21.4
Anchor Coatings, Natural Sealant 104		73	22	100-250	Asphalt roofing, fiberglass roofing, shingle roofing, fiberglass skylights, natural or pre-painted wood surfaces, concrete, brick, stucco, tile roofs, stone, aluminum, and metal surfaces	1 hour to touch, 4 hours to recoat	
BLP Mobile Paints, Elastomeric Roof Coating Reflective White 43-25		71	49	50@15	Aluminum, weathered galvanized metal, wood, asphalt shingles, built-up roofs, urethane foam, concrete, well bonded gravel roofs and cement tiles	1 hr touch 24 hrs recoat	
Smiland (Morwear), Cool Life Acrylic Latex Flexible Roof Coating 870-00		66	45	50-100	Most flexible roof surfaces such as composition shingles, fiberglass shingles and urethane foam. Also roofs of loose gravel, masonry shingles, aluminum roofs, galvanized roofs and mobile home roofs	30 min touch 6 hrs recoat	18.65 (93.25 for 5 gal)
Dunn Edwards, Elastomeric Acrylic Roof Coating, W 5824		65	56	40-60	New low and high density polyurethane foam roofing	2 hrs touch 12-18 hrs recoat	31.83
Davlin, Acrylastic 900		64	65	900	Existing and new roofing substrates	4-8 hrs recoat	13.66
ICI Paints (Sinclair), SAVX70 Roof Coating		62	58	80	For urethane foam roofs, built-up roof, plywood and metal roofs, concrete, and other masonry surfaces	1 hour to touch, 6 hours to recoat	

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
Color Wheel, Tropiccoat Roof Paint, Ext. Flat, 340		61	38	400@1.5 dry	Residential, commercial roofs, cement & concrete tiles, glazed tiles, spanish clay tiles	1 hour to touch, 4 hours to recoat	15.59
BLP Mobile Paints, Mobile Home Roof Coating White with Fiber 43-17		59	37	200@3	Commercial and residential use on galvanized metal or aluminum, ideal for mobile homes, metal tool sheds, storage buildings, awnings, canopies	1 hour to touch, 2 hours to recoat	
Gaco Western Inc., GacoFlex A-44, Water-based elastomeric coating		56	51	816@0.025	For urethane foam, built-up roofs, masonry, concrete, plywood roofs	N/A	49
GAF Materials, Matrix 531 Weathercote Elastomeric		50	N/A	40	For galvanized steel, painted steel, aluminum, and concrete and masonry surfaces, asphaltic roofs	N/A	21.4
Gemini, Total Wood Protectant (TWP) 200		50	94-96	100-250	For wood shingles	48-96 hrs to dry	
Griggs Paint, Elastomeric Coating 300W37		49	53-56	100	Asphalt, aluminum, concrete, polyurethane roofs, wood roofs, galvanized steel	4 hrs touch overnight recoat	14.5
KST (Kool Seal), Kool-Lastik Primer 34-600		41	N/A	25-100	Rolled roofing, bonded tar & gravel, asphalt/ fiberglass shingles, built-up roofs, most asphaltic surfaces, ponded water areas, flat roofs	N/A	
Anchor Coatings, Thermo-Flex 103 Elastomeric Roof Coating & Sealant		40	42	100	Industrial, commercial, residential, & agricultural substrates such as asphalt, fiberglass, asbestos shingles, concrete or clay tile, precast concrete, slate, soot shake, roll roofing, built-up roof, polyurethane foam, all types of metal	1 hour to touch, 4 hours to recoat	
Dunn Edwards, Elastomeric Acrylic Roof Coating, W 6139		40	52	55-65@25 wet	Wide variety of roof systems including new and repaint foam roofs, felt composition built-up roofs, asphalt, asphalt shingle roofs, metal roofs, wood, concrete	1 hr touch 16 hrs recoat	26.82
Western Colloid, Elastahyde #720 ARC, white		39	53	33	For "fluid applied reinforced roofing" membranes, metal roofs, built-up roofs, singly ply membrane roofs	1 hour	12.1
Western Colloid, Elastahyde #770 AXP		39	50	33	APP modified bitumen, asphalt emulsion, western colloid "fluid applied reinforced roofing" membranes, built-up, single ply, foam, and metal roof systems	1 hour	15

APPENDIX A
Roofs

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
Western Colloid, Elastahyde #790 AFC		39	59	33	For sprayed polyurethane foam, western colloid "fluid applied reinforced roofing" membranes, western colloid metal roof, conventional and modified built-up roofs, single ply membrane roofs	1 hour	13.75
Anchor Coatings, Metal-Kote 102		37	32	150-250	Metal roofing, water tanks, storage bins, other building surfaces	1 hr touch 4 hrs recoat	
American Chemical Technologies, Corp. Tri-coat Premium Elastomeric FR Roof Coating		36	60	25-100	PVC, EPDM, foam, hypalon, built-up roofing, metal	24 hours	
Advanced Protective Products, Rust Knock Out		30	N/A	900@1 dry	Directly over rust, bare metal or painted metal	2-3 hrs touch 4 hrs recoat	
Tropical Asphalt Products Corp, #360 Asphalt Emulsion		30	N/A	33-50	Built-up roofing, metal, masonry, pipes and tanks above or below ground level	6-24 hours	
Tropical Asphalt Products Corp, #363 Fibered Asphalt Emulsion Asbestos Free		30	N/A	25-50	Built-up roofing, metal, masonry, pipes and tanks above or below ground level	6-24 hours	
Tropical Asphalt Products Corp, #365 Modified Asphalt Emulsion		30	N/A	33-50	Built-up roofing, metal, masonry, pipes and tanks above or below ground level, SBS modified, APP modified	6-24 hours	
Tropical Asphalt Products Corp, #367 Neoprene Modified Emulsion		30	N/A	33-50	Built-up roofing, metal, masonry, pipes and tanks above or below ground level, SBS modified, APP modified	6-24 hours	
KST (Kool Seal), White Elastomeric Roof Coating 63-300		26	N/A	50-100	Metal, concrete, foam, brick, flat cement tile, barrel cement tile, aged aluminum coatings	N/A	
KST (Kool Seal), Gray Elastomeric Roof Coating 63-320		24	N/A	50-100	Metal, concrete, foam, brick, flat cement tile, barrel cement tile, aged aluminum coatings	N/A	
Anchor Coatings, Mastic Primer 101 Penetrating Elastomeric Roof Primer		23	30	100	Industrial, commercial, residential, & agricultural substrates such as asphalt, fiberglass, asbestos shingles, concrete or clay tile, precast constete, slate, sood shake, roll roofing, build-up roof, polyurethane foam	1 hr touch 4 hrs recoat	
Gaco Western Inc., Gaco Flex A-32/A-32/R, Water-based elastomeric coating		21	59	951@0.025	For urethane foam insulation, concrete, plywood, metal roofs	N/A	51 / 26
KST (Kool Seal), Black Elastomeric Roof Coat 63-325		21	N/A	50-100	Metal, concrete, foam, brick, flat cement tile, barrel cement tile, aged aluminum coatings	N/A	

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
Gardner-Gibson, Inc. (Sta-Kool), White Elastomeric Roof Coating 700		20	N/A	50-75	Cement tile; built-up roofs; metal roofs; mobile/RV roofs; bonded gravel roofs; roofs previously coated with asphalt, aluminum, or tar	24 hrs recoat	
Gardner-Gibson, Inc. (Sta-Kool), Ultra White Elastomeric Roof Coating 770		20	N/A	50-75	Cement tile; built-up roofs; metal roofs; mobile/RV roofs; bonded gravel roofs; asphalt shingle roofs; roofs previously coated with asphalt, aluminum, or tar	24 hrs recoat	
Gardner-Gibson, Inc. (Sta-Kool), Ultra White Elastomeric Roof Coating 780		20	N/A	50-75	Cement tile; built-up roofs; metal roofs; polystyrene foam; mobile home roofs; bonded gravel roofs; roofs previously coated with asphalt, aluminum, or tar; built-up roofs, polyester plastic panel, urethane foam, modified bitumen roofs	24 hrs recoat	
American Chemical Technologies, Corp. Geotherm Elastomeric FR Roof Coating		19	60	25-100	PVC, EPDM, foam, hypalon, built-up roofing	24 hours	
KST (Kool Seal), Premium White Elastomeric Roof Coating 63-600		16	100	50-100	Metal, concrete, foam, brick, flat cement tile, barrel cement tile, aged aluminum coatings	N/A	
Western Colloid, Elastomeric Asphalt Emulsion #298E		13	45	10 to 33	Smooth or mineral surfaced build-up roofing, metal roofing, masonry, stucco, parapet walls, curbs, base flashings, below grade walls, most exterior metal surfaces	12 hrs firm set	
Andek, Polaroof AC		10	N/A	33@48 wet	All standard roofing substrates	2-4 hrs recoat	22
American Chemical Technologies, Corp. Acta-Cryl Acrylic Roof Coating		9	56	25-100	Built-up roofing, metal roofing	24 hours	
Henry, #100 Elastomulsion		4	N/A	34	Most roof surfaces, metal and masonry	6-24 hrs when hot 2-7 days when cool & damp.	13.4 (67 for 5 gal)
Henry, #297 ElastoBlack		4	55	34 @ 48	Roof, metal and masonry surfaces	6-24 hrs when hot 2-7 days when cool & damp.	85
KST (Snow Roof Systems), Elasto Seal		1	N/A	100	Rusty metal buildings, tar roofs, rolled roofing, shingles, concrete roofs	2-8 hrs touch	

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
KST (Snow Roof Systems) Roofer's Best, Professional White Roof Coating		1	N/A	N/A	For professional-grade elastomeric coating for sealing and saving roofs	2-8 hrs touch	
KST (Snow Roof System), Mobile Coat White Reflective Metal Roof Coating		1	N/A	100	Metal roofs on mobile homes, RVs and trailers	2-8 hrs cure	
KST (Snow Roof Systems), Premium White Roof Coating		1	N/A	100	Most roof surfaces, mobile homes, old tar, asphalt, metal, concrete	2-8 hrs cure	
Andek, Polaroof Firegard		0	N/A	120	All standard roofing substrates	N/A	39
Andek, Polaroof SP		0	N/A	66@20	All standard roofing substrates	2-4 hrs recoat	26
Everest Coatings, Evercoat 5400/5410, Acrylic Elastomeric		0	55	65	For polyurethane foam, metal, and concrete, as well as previously coated surfaces	N/A	
Gaco Western Inc., GacoSil S-50 Water-Based Clear Silicone		0	18	287@0.025	For Decks, metal roofs	N/A	83
GAF Materials, Matrix 715 MB Coating		0	N/A	100	For roost roof surfaces including modified bitumen, smooth BUR, Hypalon, PVC, and TPO roofing membranes	N/A	21.4
Gardner-Gibson, Inc. (APOC), 252 Sunwhite Elastomeric Roof Coating		0	62	50-75	Most roof surfaces	4 hrs recoat	10.04 (50.2 for 5 gal)
Gardner-Gibson, Inc. (APOC), 300 Non-Fibered Asphalt Emulsion		0	N/A	50	Coating built-up, mineral surfaced, metal, concrete, corrugated and other roof surfaces	4-8 hrs recoat	
Gardner-Gibson, Inc. (APOC), 302 Fibered Asphalt Emulsion		0	N/A	50	Coating built-up, mineral surfaced, metal, concrete, corrugated and other roof surfaces	4-8 hrs recoat	

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @ mil	Recommended substrate/ exposure	Dry Time	Cost per Gallon (dollars)
Gardner-Gibson, Inc. (APOC), 337 Elastomeric Asphalt Emulsion		0	N/A	50-75	Virtually any type of roof surface including bitumen, built-up roofing, asphalt, shingles, metal, concrete, old tar roofs	4-8 hrs recoat	
Gardner-Gibson, Inc. (APOC), 400 Sunbrite Aluminum Roof Coating		0	N/A	75-100	Virtually any type of roof surface	4-8 hrs recoat	
Gardner-Gibson, Inc. (Gardner), Aqua Tec Roof & Foundation Coating		0	N/A	50	Built-up, metal, concrete, corrugated, mineral surfaced, other roof surfaces	4-8 hrs set 24-48 days cure	
Gardner-Gibson, Inc. (Gardner), Non-fibered Emulsion Roof Coating		0	N/A	50	Built-up ply sheets, mineral surfaced cap sheets, other asphalt roof surfaces	4-8 hrs set 24-48 days cure	
Henry, #107 Asphalt Emulsion		0	N/A	60	Most roofs, septic tanks, planters	6-24 hrs when hot 2-7 days when cool & damp.	13.5
Henry, #307 Fibered Asphalt Emulsion		0	N/A	25-34	Roof, metal and masonry surfaces	6-24 hrs when hot 2-7 days when cool & damp.	13.5
Rust-Oleum (Sierra), S-37 Metalmax DTM		0	40	180-545	DTM application on aluminum, galvanized steel, steel, and other metal surfaces	30 min. touch 2-4 hrs recoat	
Western Colloid, Product #298 Asphalt Emulsion Roof Surfacing		0	40	10 to 33	Smooth or mineral surfaced build-up roofing, metal roofing, masonry, stucco, parapet walls, curbs, base flashings, below grade walls, most exterior metal surfaces	12 hours firm set	2.2
Western Colloid, Product #901 Clear Rock Binder		0	40	50	Gravel roofs, masonry, plaster	30 min touch 1 hr dry	13

N/A= Not Available

APPENDIX A
Stains

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying Time	Cost per gallon (dollars)
Benjamin Moore, 100% Acrylic Latex Solid Siding Stain 067	I/E	X	250	31	200-400	Siding, shakes, shingles, trim, railing, fences, interior paneling, beams, rafters	2-3 hrs touch 3-4 hrs recoat	27.59
ICI Paints (ICI Dulux), 4700 Acrylic Stainteke	I/E	X	250	36	300-400	Wood, stucco, masonry, primed metal	0.5-1 hr touch 4 hrs recoat	21.7
Superdeck, Transparent Concrete Stains-DB-6000	E		250	17	100-200	Stone Surfaces, patios, porches, concrete driveways	1 hr touch 4 hrs recoat	24.99
Superdeck, Exterior Transparent Stains DB-1900	E		250	N/A	150-350	Decks, siding, shakes, log homes	8 hrs touch	24.99
Vista Paint, WN11 Wiping Stain	I		245	19	200-400	Interior decorative wood	1 hr touch 2-3 hrs recoat	
The Armstrong-Clark Co., Armstrong's Weather Shield Sierra Redwood Semi- Transparent Stain	E		225	N/A	200-400	Decks, siding, shakes, shingles, porch furniture, fences, rail, log homes, playground equip., stairs	N/A	21.99
The Armstrong-Clark Co., Armstrong's Weather Shield Driftwood Semi-Transparent Stain	E		225	N/A	200-400	Decks, siding, shakes, shingles, fences, log homes	N/A	21.99
The Armstrong-Clark Co., Armstrong's Weather Shield Rustic Brown Semi- Transparent Stain	E		225	N/A	200-400	Decks, siding, shakes, shingles, fences, log homes	N/A	21.99
The Armstrong-Clark Co., Armstrong's Weather Shield Yellow Cedar Semi- Transparent Stain	E		225	N/A	200-400	Decks, siding, shakes, shingles, fences, log homes	N/A	21.99
Superdeck, Solid Color Deck Stain-DB-9000	E		200	N/A	150-350	Decks, fences, siding, trim, shakes	1 hr touch 2-4 hrs recoat	25.29
BEHR , Deck Plus Deep Base 213 Acrylic Latex	E		184	N/A	450-500	Wood Decks, Patio Furniture, Fences	2-3 hrs touch	19.97
Farwest, X-6281 Wonderglo Waterborne Wiping Stain	I		180	16	200	Millwork, cabinets, wood furniture	1-2 hrs touch 8 hrs recoat	
Color Wheel, Tropicoat Transparent Wood Stain 100% Acrylic Satin 170	E		170	18	200-400	Lumber, trim, beams, plywood, siding, shingles, shakes, fences, railing	1 hr touch 4 hrs recoat	15.99
BEHR, Deck Plus Solid Ultra White 210 Acrylic Latex	E		158	N/A	300-350	Wood Decks, Patio Furniture, Fences, Siding	2-3 hrs touch	19.97
ICI Paints (ICI Dulux), WoodprideWaterborne Semi-Transparent Stain 2610	E	X	148	24	200-400	Above ground exterior bare wood, siding, shingles, etc.	1 hour touch	20.35

APPENDIX A
Stains

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying Time	Cost per gallon (dollars)
ICI Paints (ICI Dulux), WoodprideWaterborne Solid Color Stain 2600	E		139	28	350-450	Siding, clapboard, shakes, shingles, beams, fences	1 hr touch 4 hrs recoat	17.95
Sherwin Williams, WoodScapes House Stain Acrylic A15	E		137	35	200-400	Exterior Wood Surfaces	1 hr touch 2 hrs recoat	28.49
Rainguard, Color-Lok Masonry Stain	I/E		135	34	125-200	Interior/Exterior Masonry surfaces	2 hours touch/recoat	16.75
Griggs Paint, 100% Acrylic Stain 301 Series	I/E		127	40-42	300-400	Wood, metal, concrete, masonry	1 hour to touch, 3 hours to recoat	13.1
Okon, Sealer & Stain System OK-760	I/E		127	N/A	N/A	Concrete, masonry, plaster, stucco	N/A	23.89
Diamond Vogel Paints, BT Series Rustic Tone Solid Color Acrylic Ltx Stain	E		126	38	610	Bare wood surfaces, trim and siding	0.5 hr touch 2-4 hrs to recoat	16.95
United Coatings, Canyon Tone Stain Pigmented Water Repellent Stain	I/E		126	27	50-150	Brick, stucco, stone	15 min, 1 hour cure	20
Color Wheel, Tropicoat Solid Body Ltx Stain 370	E	X	125	30	300-500	Lumber, trim, beams, plywood, siding, shingles, shakes, fences, railing	1 hr touch 4 hrs to recoat	15.99
Kelly Moore, 1240-Acry-Shield Acrylic Flat Finish	E	X	125	43	200-500	Wood, concrete, masonry, metal surfaces	1 hr touch 4 hrs recoat	25.6
Kwal-Howells, Rustic wood 100% acrylic solid color 6200	E		114	31	250-300	Wood siding, beams, clapboard, hardboard, shakes	1 hr touch 4 hrs recoat	15.35
Porter Paints, Wood Guardian Acrylic 1919	I/E		108	26	200-400	Wood siding, trim, shakes, shingles, fencing	0.5 hrs touch 4 hrs recoat	25.15
Cloverdale, Acrylic Wood Stain 066	E		103	36	200-500	Siding, shakes, shingles, fences	45 min touch 2 hrs recoat	
Okon, Deck Stain OK-720	E		101	N/A	N/A	Wood stain/horizontal wood applications, shingles	2 hours touch	19.66
Benjamin Moore, 100% Acrylic Latex Solid Siding Stain 089	I/E	X	100	30	200-400	Shakes, shingles, trim, railing, fences, interior paneling, beams, rafters	2 hrs touch 3 hrs recoat	27.59
Cloverdale, 379200 Tower Premium Latex Wood Stain	E	X	97	30	200-320	Fences, wood, composite siding, masonry, railings	1 hr touch 4 hrs recoat	

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying Time	Cost per gallon (dollars)
Sherwin Williams, ProMar Exterior Solid Color Acrylic Latex Stain A16	E	X	97	34	200-400	Wood sawn lumber, plywood, shakes, shingles, masonry, aluminum	1 hr touch 4 hrs. recoat	22.99
Smiland (Morwear), Exterior Acrylic Solid Color Rustic Stain 4301	E		97	42	300-400	Wood, masonry, concrete, metal surfaces	0.5-1 hr touch 4 hrs recoat	17.92 (89.58 for 5 gal)
Vista Paint, 3000 Acribond	E		97	40	300-400	Wood, masonry	1 hr touch 4-6 hours recoat	19.46
Columbia, Woodtech Transparent Pre-Stain 09-850	I/E		93	18	320-400	Pre-primed fiber cement board Interior & Exterior bare wood substrates	0.5 hrs touch 1-2 hrs recoat	20
Okon, Natural Choice OK-820	E		90	N/A	N/A	Decks, fences, Log Homes, smooth siding, outdoor furniture pressure treated lumber, shingles	2 hrs touch	16.99
Hallman Lindsay, Kril Tone 100% Acrylic Solid Color Stain 185	E	X	85	35	400	Shingles, shakes, siding, fencing, most hardboard	2 hrs touch overnight to recoat	23.49
Columbia, Woodtech Solid Color Latex Stain 09-400	E	X	71	34	100-320	Wood siding, hardboard, brick, concrete, aluminum	1 hr touch 2 hrs recoat	20.59
Okon, Weather Pro OK-710	I/E		67	N/A	50-250	Decks, fencing, shakes, siding	2 hrs touch	18.29
Columbia, Woodtech Solid Color Pre-Stain 09-870	I/E		62	30-32	320-400	Pre-primed fiber cement board Interior & Exterior bare wood substrates	0.5 hrs touch 1-2 hrs recoat	21
EPMAR, Kemiko Transparent Stain 1	E		30	15	300-400	Concrete, plaster, cement, wood	1 hr touch 2-3 hrs recoat	26.5
EPMAR, Rembrandt Polymer Stain	I/E		30	20	150-300	Concrete, plaster, cement	0.5-1 hr touch 2-3 hrs recoat	36.5
FUHR, Wiping Stain 105	E		15	17	N/A	Any wood surface	30-45 min. recoat	24.95
EPMAR, Kemiko Stone Tone Concrete Stain	I/E		0	N/A	N/A	Concrete, plaster, cement	N/A	26.5
FUHR, ZVOC Waterbased Stain 5800	I/E		0	14	N/A	Furniture, molding, millwork, cabinets, doors, decks	5 min. touch 20 min. recoat	28.69
FUHR, ZVOC Universal Stain 155	I		0	14	N/A	Any wood surface	15 min	23.69

Coating Company, Product Name, Components	Interior Exterior	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying Time	Cost per gallon (dollars)
Monopole, Monochem Aquaseal 2 for wood 3500	E	X	0	11	60-250	Siding, rim, fencing plywood, shakes, shingles, lumber	N/A	12.55
Silvertown Products, Rhinoguard Wood Defense	E		0	N/A	550	Wood, decks, siding	72 hours	29.95
Silvertown Products, Rhinoguard Furniture Stain	I		0	N/A	N/A	Furniture, doors, wood beams	24 hours	24.45

N/A= Not Available

APPENDIX A
Waterproofing Sealers

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying time to recoat	Cost per gallon (dollars)
Seal-Krete, Multi-Surface Water Repellent		187	N/A	100-400	For multiple surfaces including concrete sidewalks and patios, vertical surfaces such as brick and stucco, and wood	2-4 hours to touch, 24 hours to walk	
Okon, W-1 Water Repellent Sealer OK-910		134	N/A	75-325	Concrete, plaster, stucco-smooth	N/A	13
Griggs Paint, Hydro-Acrylic Stain 300-65	X	117	21	150	Concrete Structures, driveways, garages, carports, walkways	N/A	17.95
Okon, Waterproofing Sealer OK-930		116	N/A	100-400	Adobe, brick, concrete, clay, plaster, plywood, stucco, & wood shingles	N/A	18.29
Davlin, Acrylastic 490 Waterborne Elastomeric Wall Coating		75	60	100	Exterior Concrete, masonry, stucco, most wood & metal substrates	24 hours to recoat	18.05
Davlin, Acrylastic 600, Waterproof Deck Coating		75	51	100	Decks, patios, balconies, terrace, stairs	24 hours to recoat	28.95
EPMAR, Kemiko Clear Acrylic Urethane		50	30	300-400	Concrete, plaster, wood, metals	30 minutes to touch, 1 hour to recoat	39.95
Smiland (Morwear), Elastomeric Waterproofing Clr 2571-70		30	N/A	80-200	Concrete, stucco, brick, stone, decks	1-2 hours touch	13.75 (68.75 for 5 gal)
Davlin, Acrylastic 490TC Waterborne Elastomeric Textured Coating		29	55	100	Interior & Exterior Concrete, Masonry, Stucco, most wood & metal substrates	24 hours to recoat	14.68
Rainguard, Acry-Lok Acrylic Based Water Repellent		20	12	70-300	Above-grade masonry, concrete, stucco, brick, stone, clay roofs, wood	N/A	
Seal-Krete, High Solids Waterproofing Sealer		15	25	80-300	For vertical concrete, cement, masonry, and stucco surfaces. Also, stone, brick, adobe, wood, plaster limestone, drywall, galvanized metal, vinyl siding, roof tiles	2 hours	
Seal-Krete, Waterproofing Sealer		8	10	50-300	For vertical concrete and masonry surfaces. Also stucco, concrete, brick, roof tile, wood, siding, galvanized metal	2-4 hours to dry, 2 hours to recoat	

APPENDIX A
Waterproofing Sealers

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal)	Recommended substrate/ exposure	Drying time to recoat	Cost per gallon (dollars)
GE Sealants & Adhesives, VIP1550 Concentrated Water Repellent		1	47	125-450	Concrete driveways, walkways, brick paver, patio deck steps, and vertical masonry surfaces including natural and synthetic stone, tilt up concrete, brick, clay tile, stucco and block	12-14 hours for foot traffic	49
EPMAR, Sta-Crete 2102 Polyurethane Membrane, 2 component		0	100	40-160	Concrete, masonry, composites, carbon steel, and wood	5 hours to touch, 24 hours to walk	36.5
Henry, #785 Asphalt Emulsion Dampproofing		0	55	33	Below-grade exterior side of foundations & walls, Above-grade exterior walls in cavity wall construction	24-48 hours	23.5
Henry, #787 ElastoMulsion Waterproofing & Dampproofing		0	70	100	Above- and below-grade concrete, masonry structures including block foundations	24-48 hours	13.5
Henry, #788 Non-Fibred Asphalt Emulsion Dampproofing		0	N/A	33	Below-grade exterior side of foundations & walls, Above-grade exterior walls in cavity wall construction	24-48 hours	13.5
Henry, #789 Fibrated Asphalt Emulsion Dampproofing		0	N/A	100	Below-grade exterior side of foundations & walls, Above-grade exterior walls in cavity wall construction	24-48 hours	13.5
Kryton, Krystolseal W/B Clear Acrylic Sealer K-750, Semi-gloss, Interior/exterior	X	0	N/A	100-400	Wood, concrete panels, stucco, brick, concrete block, masonry	N/A	
Monopole, Monochem Aquaseal 2 for Wood 3500	X	0	11	60-250	Solid siding, trim, fencing, plywood, shakes, shingles, deck lumber, patio furniture, doors, window sashes, hardboard, particleboard	N/A	13
Samuel Cabot, Waterproofing With Teflon Surface Protector 1000	X	0	6	150-250	Wood, brick, concrete, masonry, stone	3 hours to touch, completely dry in 24 hours	19.77
Seal-Krete, Wood Water Repellent		0	N/A	100-200	Wood Surfaces except redwood and cedar	2-4 hours	
Seal-Krete, Proformance Skid-Proof		0	N/A	40	Concrete, wood, plywood, metal, styrofoam	72 hours	

N/A = Not Available

APPENDIX A
Waterproofing Concrete/Masonry Sealers

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @3mils	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
Benjamin Moore, Moore's Alkyd Masonry Sealer C077		350	55	100-300	Exterior Use on masonry surfaces	N/A	23.99
Rainguard, Micro-Seal Clear Water Repellent		284	100	55-120	Dense masonry, cast concrete, porous surfaces	1 hour to touch full cure 48-72 hours	
Prosoco, HydroSeal 20		256	20	125-250	Parking & Concrete structures	24 hours	
Benjamin Moore, 100% Acrylic Elastomeric Waterproof Coating Low Lustre 055		250	39	60-80	Uncoated or new masonry and previously painted surfaces such as stucco, concrete/cinder block, fiber cement siding, pre-cast concrete, poured in place concrete, and tilt-up construction	2 hrs touch Overnight recoat	
Benjamin Moore, 100% Acrylic Elastomeric Waterproof Coating Flat 056		250	39	80-100	For uncoated or new masonry and previously painted surfaces such as smooth stucco, concrete/cinder block, fiber cement siding, pre-cast concrete, poured in place concrete, and tilt-up construction	2 hrs touch Overnight recoat	
Benjamin Moore, Moorlastic Elastomeric-Fine Texture 060		250	49	40-80	New and previously painted stucco, concrete block, cast-in-place, precast, tilt-up concrete, exterior insulation finishing systems (EIFS), brick, wood, and metal	2 hrs touch 4-6 hours	
Rainguard, American 700 Clear Masonry Deck Sealer		236	N/A	100	Decks, resurfaced concrete, cementitious surfaces, or other non-resilient substrates	2 hours	
Prosoco, Concrete ScienceWaterPel		211	4	N/A	Concrete, stucco & most masonry surfaces	N/A	
Prosoco, Weather Seal GP General Purpose Water Repellent		211	4	50-175	Concrete, fired clay, marble, travertine, limestone, granite, sandstone, slate	1 hr. touch	
Benjamin Moore, Masonry Sealer 066		200	13	200-400	Concrete, masonry, stucco, block construction	1 hr touch 4 hrs recoat	14.99
Hill Brothers, Concrete/Masonry Floor Paint & Sealer-Pigmented		200	6	400-450	Concrete, masonry, floors, porches, patios	24 hrs	29.95
L & M, Hydropel WB		195	8	100-250	Vertical concrete masonry units	2 hours	17.8 (89 for 5 gal)
L & M, Hydroblock		195	15	50-100	Concrete Block	2 hours	
Prosoco, Concrete Science Silox 10		194	7	N/A	Concrete & masonry	1 hr. touch 24 hrs cure	
Sherwin Williams, H & C Block Shield Masonry Waterproofer		173	42	75-150	Interior & exterior concrete, masonry stucco, bricks	1 hr touch 3 hrs recoat	26.99

APPENDIX A
Waterproofing Concrete/Masonry Sealers

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @3mils	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
Columbia, Master Grip Modified Acrylic Primer 05-054		156	41	215	Interior, exterior masonry, concrete, brick & concrete block	1-2 hrs touch 16 hrs recoat	19.59
Okon, Plugger Water Repellent Sealer OK-950		146	N/A	N/A	Concrete block, masonry, stucco	N/A	15.72
Sierra Corp (TK Products), TK-290 WB Tri-Siloxane		140	20	50-250	Concrete, stucco, parking structures, bridge decks	N/A	23
Okon, W-1 Water Repellent Sealer OK-910		134	N/A	N/A	Brick-glazed, concrete, granite, limestone, plaster, stucco	N/A	12.67
Prosoco, Concrete Science Water Pel Natural Stone		129	5	N/A	Stone & masonry surfaces	4-6 hrs	
Benjamin Moore, M27-00 Clear Acrylic Sealer		126	13	350	Masonry, interior wood, walls, stucco, plaster, brick	1 hr touch 2 hrs recoat	10.79
Okon, W-2 Water Repellent Sealer OK-920		119	N/A	N/A	Adobe block, brick, concrete, stucco	N/A	15.72
Sherwin Williams, Concrete & Masonry Waterproofing Sealer		114	10	100-250	Concrete, brick, masonry, cinder block, flagstone, canvas, stucco	15 min. touch 2-4 hrs recoat	13.99
CIM, CIM 800, 2 component		111	86	N/A	For roofing, concrete, steel, glass, wood, previous coatings and linings	1 hr recoat	
Rainguard, American 500 Colored Masonry Deck Sealer		109	N/A	120	Masonry, balconies, decks, patios, driveways, walkways	1-2 hours	26
JFB Hart Coatings, Inc HP-146		100	33	240-480	Steel, aluminum, galvanized metal, concrete/block, masonry, wood	8 minutes to touch, 30 minutes to recoat	65
Sherwin Williams, ConFlex XL Texture High Build		94	49	70-80	Concrete, stucco, masonry	4 hrs touch 24 hrs recoat	34.99
CIM, CIM 1000, 2 component		92	88	N/A	For tank and pond liners, parking decks, containment areas, concrete, steel, asphalt pavement, glass, wood, and most coatings	1 hour	

APPENDIX A
Waterproofing Concrete/Masonry Sealers

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @3mils	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
CIM, CIM 1061, 2		90	88	N/A	For tanks and reservoirs, joint seals, tank repairs, chemical containment, concrete, steel, glass, wood, and most coatings	1 hour recoat	
Okon, Waterstopper OK-970		90	70	N/A	Basement walls, block walls, brick, foundations walls, retaining walls, stucco	0.5 hrs touch 3 hours recoat	
Sani-Tred, AR-Colorcoat		78	90	N/A	Concrete decks, metal, wood, masonry	N/A	77.75
Everest Coatings, Evercoat 700S High Modulus Waterproof Coating		69	60	50-100	Concrete, masonry, stucco	3 hrs touch 12-24 hrs recoat	
Farwest, X-5645 Aqueous Concrete Sealer		62	23	117-352	Concrete Floors	1 hr touch	18.44
Koch Waterproofing Solutions, Watchdog Waterproofing		60	N/A	25	Below grade exterior foundation walls, concrete foundations	24 hrs cure	
Sierra Corp (TK Products), TK-1311 WB Silane Concentrate		59	N/A	150	Concrete	N/A	150
Vista Paint, 500 Solotex Concrete Masonry Sealers 4600 Uniprime II		57	51	35-60	Concrete, stucco, plaster, masonry	4 hrs touch 8 hrs recoat	24.03 (120.17 for 5 gal)
L & M, Aquapel & Aquapel Plus		50	N/A	150-200	All concrete surfaces, brick pavers, aggregate	N/A	30 (150 for 5 gal)
All Pro, All-Seal Waterproofing Sealer		47	14	100-250	Masonry, stucco, roof, brick, stone, adobe, drywall, plaster, etc	1 hr touch 4-6 hrs recoat	
Rainguard, Regular Clear Water Repellent		40	8	45-120	Masonry, concrete, stucco, EFIS, composite	1 hour to touch 1 day to recoat	13
Rainguard, Super Clear Water Repellent		40	8	45-150	Masonry, concrete, stucco, EFIS, composite	1 hour to touch 1 day to recoat	
Rainguard, Blok-Lok Clear Water Repellent		37	12	55-120	Masonry, concrete, stucco, EFIS, clay, adobe	1 hour to touch 1 day to recoat	14.25
Smiland (Morwear), Elastomeric Waterproofing Clr 2571-70		30	N/A	80-200	Concrete, wood & masonry	1-2 hrs touch	13.75 (68.75 for 5 gal)
United Coatings, Canyon Tone Clear Transparent W/B Sealer		29	10	100-250	Concrete, masonry	15 minutes 1 hr. cure	13

APPENDIX A
Waterproofing Concrete/Masonry Sealers

Coating Company, Product Name, Components	MPI Approved	VOC content (gm/l)	Solids (% by volume)	Coverage (sq ft/gal) @3mils	Recommended substrate/ exposure	Drying time to recoat	Cost per Gallon (dollars)
EVR-Gard Coatings, 119 Elastomeric Wall Coating		25	45	50-100	Wood, masonry, concrete, metal	1 hr touch 24 hrs recoat	11.6
Seal-Krete, High Solids Waterproofing Sealer		15	25	80-300	Stone, brick, adobe, wood, plaster limestone, coral, drywall	1-2 hours	
Seal-Krete, Waterproofing Sealer		8	10	50-300	Stucco, concrete, brick, roof tile, wood, siding, metal, adobe	1-2 hours	
Davlin, Butylseal 572		7	N/A	75-250	Wood, concrete, stucco, masonry	4 hours	13.5
Smiland (Morwear), Int/Ext Heavy Duty Waterproofing 2555-70		2	N/A	50-200	Concrete, masonry, brick, stucco, stones, porous tile sandstone, slate	72 hours	13.75 (68.75 for 5 gal)
Life Paint Company, #1325 Micro-Life Concrete Masonry Sealer		1	6	100-150	Concrete, masonry blocks, stucco	Fast drying	12.99
BEHR, Concrete & Masonry Sealer C077		0	N/A	250	Block, pavement, stucco, brick, unglazed tile, concrete, slate	24-48 hrs	23.97
EPMAR, Tru-Kote 1120 High Solids Epoxy, 2 component		0	95	250-300	Concrete, masonry, fiberglass	6-8 hrs recoat	36.5
Gaco Western Inc., GacoFlex LM-60 Urethane, 2 component		0	100	25	Concrete, metal & plywood	N/A	96 per vertical kit
JFB Hart Coatings, Inc HP-105 Clear/Pigmented E/I, 2 component		0	53	350-450	Steel, aluminum, galvanized metal, concrete/block, masonry	6-8 hrs recoat	80
L & M, Seal Hard		0	N/A	200	Concrete floors	2-4 hours	24 (120 for 5 gal)
Prosoco, ToughCoat PS		0	18	200-600	Concrete surfaces	4-5 days	
Samuel Cabot, Waterproofing With Teflon Surface Protector 1000		0	6	100-250	Wood, masonry, concrete, brick, stone & unglazed tile	3 hrs touch 24 hours recoat	19.77
Seal-Krete, Proformance Skid-Proof		0	N/A	40	Concrete, wood, plywood, metal, styrofoam	24 hrs	
Sherwin Williams, W/B Water Repellent		0	3	N/A	Concrete, concrete block, bricks, tiles, plaster	1-4 hrs touch	22.99

N/A= Not Available